



SAFETY DATA SHEET

Section 1 Product and Company Identification

Product Name: OIL GRABBER
Recommend Use: Absorbent Sump Pillow
Issue Date: March 25, 2020
Revision #: 1
Manufacturer: SYNTHETIC LUBRICANTS, INC
Address: 1411 Callaghan Drive
Greenville, MI 48838
Telephone Number: (800) 848-5823

Section 2 Hazard Identification

Classification:

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 DFR 1910.122)

This is not a dangerous substance or mixture according to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Section 3 Composition/Information

<u>CAS#</u>	<u>Name of Ingredient:</u>	<u>Percentage</u>
9003-07-0	Polypropylene blend	95% - 100%
None	Metal hardware	
9003-07-0	Polypropylene rope	

Section 4 First-Aid

Eyes: Use eyewash, consult physician if accompanied by pain or irritation
Skin: N/A
Ingestion: N/A
Inhalation: NA

Section 5 Fire & Explosion Data

Flash Point: 625°F (329°C)
Flammable Limits: LFL & UFL Not Determined
Fire Fighting Equip: Water, Foam, Co2, Dry Chemical
Extinguishing Media: Standard procedures for Class A fires
General Fire Hazards: Some carbon monoxide formation is possible under oxygen-lean conditions. Matting will not support combustion. Sorbents will take on the characteristics or properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the SDS for the chemical absorbed before proceeding.

Section 6 Accidental Release

No special steps to be taken if material is spilled or released.

Disposal Method: Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the SDS for the chemical absorbed before proceeding.

Follow all local, State, and Federal regulations

Section 7 Handling and Storage

Store in dry area; do not store near open flame, high heat, strong oxidants, or halogenated hydrocarbons. Polypropylene, when heated, becomes very sticky and will burn. Use self-contained air masks to enter smoky area in the event of fire. Adequate ventilation is required to remove decomposition products when temperature exceeds melting point. Avoid contact with melted product. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the SDS for the chemical absorbed before proceeding.

Transportation: Is not regulated as a hazardous material

Section 8 Exposure Controls/ Personal Protection

Respiratory Protection:	None Required
Ventilation:	None Required
Protection Gloves:	None Required
Eye Protection:	Safety glasses with side shields are recommended as a good practice for industrial safety.
Other Protective Equipment:	None Required

Section 9 Physical and Chemical Properties

Appearance: White	Flammability/Explosive Limits: N/A
Odor: Virtually odor free	Relative Density: N/A
Vapor Pressure: N/A	Flash Point: 625°F (329°C)
Auto-ignition Temperature: 675°F (357°C)	Vapor Density: N/A (Air = 1)
Melting Point: 320° F (>160°C)	Decomposition Temperature: N/A
Boiling Point: N/A	
Evaporation Rate: N/A	
Specific Gravity: 0.88 – 0.92	
Percent Volatiles by Volume: N/A	
Solubility in Water: Insoluble	
pH Level: N/A	
VOC: N/A	

Section 10 Stability and Reactivity

Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the SDS for the chemical absorbed before proceeding.

Section 11 Toxicological Information

Product is not considered a hazardous material at temperatures below melting point. Not considered a controlled substance or a carcinogen.

Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the SDS for the chemical absorbed before proceeding.

Section 12 Ecological Information*

Section 13 Disposal (see Section 6)

Section 14 Transport Information (see Section 7)

Section 15 Regulatory Information*

Section 16 Other Information

The information in this SDS was obtained from sources that we believe are reliable. However, this information is provided without any representation or warranty, express or implied, regarding the accuracy or correctness of this information.

The conditions or methods of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For these and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use or disposal of this product once sold and delivered.

Date of Preparation: March 25, 2020

Revision Number: 1

HMIS ratings Health: 0
 Flammability: 1
 Physical hazard: 0

NFPA ratings Health: 0
 Flammability: 1
 Instability: 0

* Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15 (29 CFR 1910.1200(G) (2)).